




The dimensions shown are the actual physical dimensions of the grill. Additional clearances to cabinetry are dependent on the tolerances of the cut-out. The suggested cut-out dimensions are listed in the chart below but these dimensions can be reduced if the tolerances are controlled.

Please refer to the installation manual for additional clearances to combustibles.





	REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED	
-	Engineering Release	01/16/2020	Todd Stone	



This dimension is the furthest point the dome protrudes back as it opens. It is 3.286 inches further back than the rear flange of the cabinet shell. 12.863 1.401 — 1.401 1.103 32.538 Distance to gas and electrical connection

The dimensions shown are the actual physical dimensions of the grill. Additional clearances to cabinetry are dependent on the tolerances of the cut-out. The suggested cut-out dimensions are listed in the chart below but these dimensions can be reduced if the tolerances are controlled.

Please refer to the installation manual for additional clearances to combustibles.

Suggested Cut-out Dims Dimensions are in inches Linear Tolerance: +/- .015 Height 13.000 Bend Tolerance: +/- .020 Width 33.000 Angular Tolerance: +/- 0.5 Radial Tolerance: +/-.005 23.000 Depth Material SS 304 DRAWN BY: Todd Stone

Infinite 30 Inch Built-in Grill with Dome and Face Light Kit

Image shown with optional IBI30FDLT light kit

 SIZE
 Customer
 DWG NO
 REV

 B
 Crown Verity
 IBI30(NG/LP)

 SCALE
 1:10
 01/16/2020
 SHEET
 3 of 3

37 Adams Blvd., Brantford, Ontario, N3S 7V8 P: (519) 751-1800 www.crownverity.com