

Project Name:	
Location:	
Item #:	Qty:
Model:	

### SELF-CONTAINED PREMIUM INDOOR/OUTDOOR ICE MACHINES

**MODEL:** 

MIM50P

MIM50P-0





MIM50P-0

#### **ELECTRIC** -

115V / 60Hz / 1Ph (230V / 50-60Hz / 1Ph is available as an option) 6' (2m) NEMA 5-15P cord set inculded



NEMA 5-15P

#### **3RD PARTY APPROVALS -**











Certified to ANSI UL 563 DOE 2018 Compliant

Meets Energy Star Guidelines Zero Ozone Depletion Potential

#### MAXX ICE WARRANTY (USA / CANADA) -

Contact Maxx Ice for warranty statement at TechnicalServices@TheLegacyCompanies.com or 877.368.2797

The Legacy Companies • 3355 Enterprise Avenue, Suite 160 • Fort Lauderdale, FL 33331 Sales: 954.202.7419 • Sales@TheLegacyCompanies.com • www.MaxximumFoodService.com The Maxx Ice MIM50P Premium series of indoor/outdoor ice machines produce up to 65 pounds of ice per day (under ideal conditions). These stylish, durable and easy to install models are perfect for any freestanding or built-in application.

#### FEATURES AND CONSTRUCTION -

- Stainless steel / black painted steel (MIM50P) or all stainless steel (MIM50P-0) exterior
- Air-cooled compressor
- Solid state controls
- Built-in self cleaning mode
- Automatic overflow prevention
- 25 lb storage bin
- Drain pump and internal blue LED light are included
- Field reversible door
- Adjustable durable feet
- Includes stainless steel ice scoop and built-in scoop holder
- Includes tubing for supply and drain lines

#### **DAILY ICE PRODUCTION -**

Air Temp 70°F (21°C) / Water Temp 50°F (10°C) MIM50P......65 lbs (29.5 kg) MIM50P-0 ...... 65 lbs (29.5 kg)

Air Temp 90°F (32°C) / Water Temp 70°F (21°C) MIM50P...... 51 lbs (23 kg) MIM50P-0 ..... 51 lbs (23 kg)

#### ICE BIN STORAGE CAPACITY —

MIM50P	25	lbs	(11	kg)
MIM50P-0	25	lbs	(11	kg)

#### **OPERATING REQUIREMENTS -**

Ambient Air Temperature Range..... 50° to 100°F (10° to 38°C) Water Temperature Range .............. 41° to 90°F (5° to 32°C) Water Usage per 100 lbs of ice...... 13.8 Gallons (52.2L) Water Supply Line Connection ....... 1/4" O.D. Compression Water Pressure Range:

Min PSI...... 15 Max PSI ......75\* Max Bar.....5.5 Min Bar ..... 1.0

\*Above 75 PSI requires a regulator


Energy Consumption per 100 lbs of ice:

MIM50P	10.1	kWh/100	lbs
MIM50P-0	10.1	kWh/100	lbs


TOP VIEW


## SELF-CONTAINED PREMIUM INDOOR/OUTDOOR ICE MACHINES


# 14.6" (370 mm) MIM50P/ MIM50P-0



FRONT VIEW







MODEL	EXTERNAL Dimensions	DAILY ICE PRODUCTION (70°F Air / 50°F Water)	ICE BIN STORAGE Capacity	NET WEIGHT / SHIPPING WEIGHT	AMP DRAW (Making / Harvesting)	REFRIGERANT And Charge Size	ELECTRICAL
MIM50P	14.6" x 25" x 33.3" (370 x 632 x 845 mm)	65 lbs (29.5 kg)	25 lbs (11 kg)	92 lbs (41.7 kg) 101 lbs (45.8 kg)	3A / 4A	R-134a 3.88oz (110g)	115V / 60Hz / 1Ph
MIM50P-0	14.6" x 25" x 33.3" (370 x 632 x 845 mm)	65 lbs (29.5 kg)	25 lbs (11 kg)	92 lbs (41.7 kg) 101 lbs (45.8 kg)	3A / 4A	R-134a 3.88oz (110g)	115V / 60Hz / 1Ph

#### **INSTALLATION** -

- A clearance of 2" from the wall is recommended to promote adequate cooling air circulation
- A gravity drain line is required to install this ice machine
- For optimal performance, the use of a water filter is recommended